ELSEVIER

Journal of Affective Disorders 72 (2002) 301–303

JOURNAL OF AFFECTIVE DISORDERS

www.elsevier.com/locate/jad

Author index

Abou-Saleh, M.T., see Daradkeh, T.K. (72) 167
Agarwal, A.K., see Srivastava, N. (72) 45
Alda, M., see Grof, P. (72) 103
Allen, N.B., see Murray, G. (72) 281
Andrews, P.W., see Watson, P.J. (72) 1
Angst, J., Gamma, A., Sellaro, R., Zhang, H. and Merikangas, K.
Toward validation of atypical depression in the community: results of the Zurich cohort study (72) 125
Arranz, B., see Vallejo, J. (72) 95

Baldessarini, R.J., see Viguera, A.C. (72) 107
Barnow, S., Linden, M., Lucht, M. and Freyberger, H.-J.
The importance of psychosocial factors, gender, and severity of depression in distinguishing between adjustment and depressive disorders (72) 71
Barthwal, M.K., see Srivastava, N. (72) 45
Bell, J., see Dean, A.J. (72) 85
Bellantuono, C., Mazzi, M.A., Tansella, M., Rizzo, R. and Goldberg, D.
The identification of depression and the coverage of antidepressant drug prescriptions in Italian general practice (72) 53
Benabarre, A., see Vieta, E. (72) 15
Benazzi, F.
Bipolar depression and melancholia. Comments on Parker et al. "The nature of bipolar depression: implications for the definition of melancholia". J. Affect. Disord. 59 (2000) 217–224 (72) 201
Berghoefer, A., see Grof, P. (72) 103
Bhagwagar, Z., Hafizi, S. and Cowen, P.J.
Cortisol modulation of 5-HT-mediated growth hormone release in recovered depressed patients (72) 249
Bille-Brahe, U., see De Leo, D. (72) 291
Biondi, M., see Bonaccorso, S. (72) 237
Bonaccorso, S., Marino, V., Biondi, M., Grimaldi, F., Ippoliti, F. and Maes, M.
Depression induced by treatment with interferon-alpha in patients affected by hepatitis C virus (72) 237
Bond, A.J., Wingrove, J., Valerie Curran, H. and Lader, M.H.
Treatment of generalised anxiety disorder with a short course of psychological therapy, combined with buspirone or placebo (72) 267
Brennan, P.A., see Hammen, C. (72) 145
Breteler, M.M.B., see Tiemeier, H. (72) 79
Burgess, H., see Murray, G. (72) 281

Caon, F., see De Leo, D. (72) 291
Carton, S., Le Houezec, J., Lagrue, G. and Jouvent, R.
Early emotional disturbances during nicotine patch therapy in subjects with and without a history of depression (72) 195
Christie, M.J., see Dean, A.J. (72) 85
Cohen, L.J., see Viguera, A.C. (72) 107
Comijs, H.C., Deeg, D.J.H., Dik, M.G., Twisk, J.W.R. and Jonker, C.
Memory complaints; the association with psycho-affective and health problems and the role of personality characteristics. A 6-year follow-up study (72) 157
Contreras, F., see Vallejo, J. (72) 95
Cowen, P.J., see Bhagwagar, Z. (72) 249
Cuijpers, P. and Smit, F.
Excess mortality in depression: a meta-analysis of community studies (72) 227

Dalal, P.K., see Srivastava, N. (72) 45
Daradkeh, T.K., Ghubash, R. and Abou-Saleh, M.T.
Al Ain community survey of psychiatric morbidity. II. Sex differences in the prevalence of depressive disorders (72) 167
Dean, A.J., Bell, J., Mascord, D.J., Parker, G. and Christie, M.J.
A randomised, controlled trial of fluoxetine in methadone maintenance patients with depressive symptoms (72) 85
Deeg, D.J.H., see Comijs, H.C. (72) 157
De Leo, D., Padoani, W., Lonnqvist, J., Kerkhof, A.J.F.M., Bille-Brahe, U., Michel, K., Salander-Renberg, E., Schmidtke, A., Wasserman, D., Caon, F. and Scocco, P.
Repetition of suicidal behaviour in elderly Europeans: a prospective longitudinal study (72) 291
Dhossche, D., Ferdinand, R., van der Ende, J., Hofstra, M.B. and Verhulst, F.
Diagnostic outcome of adolescent self-reported suicidal ideation at 8-year follow-up (72) 273
Dik, M.G., see Comijs, H.C. (72) 157
Dikshit, M., see Srivastava, N. (72) 45
Dinan, T.G., see Scott, L.V. (72) 113

Feetham, C.L., Ireland, P. and White, A.
Letter to the Editor (72) 297
Ferdinand, R., see Dhossche, D. (72) 273
Fernández, A., see Vieta, E. (72) 15
Ferrey, G., see Van Amerongen, A.P. (72) 21
Frangou, S., see Quraishi, S. (72) 209

PII: S0165-0327(02)00378-6

Freyberger, H.-J., see Barnow, S. (72) 71

Gale, T.M., see Hawley, C.J. (72) 177
Gamma, A., see Angst, J. (72) 125
Ghubash, R., see Daradkeh, T.K. (72) 167
Gladstone, G., see Parker, G. (72) 91
Goikolea, J.M., see Vieta, E. (72) 15
Goldberg, D., see Bellantuono, C. (72) 53
Grimaldi, F., see Bonaccorso, S. (72) 237
Grof, P., Robbins, W., Alda, M., Berghoefer, A. and Robertson, C.
Letter to the editor (72) 103

Hadzi-Pavlovic, D., see Parker, G. (72) 91
Hafizi, S., see Bhagwagar, Z. (72) 249
Hammen, C. and Brennan, P.A.
Interpersonal dysfunction in depressed women: impairments independent of depressive symptoms (72) 145
Harwood, D., Hawton, K., Hope, T. and Jacoby, R.
The grief experiences and needs of bereaved relatives and friends of older people dying through suicide: a descriptive and case-control study (72) 185
Hawley, C.J., Gale, T.M. and Sivakumaran, T.
Defining remission by cut off score on the MADRS: selecting the optimal value (72) 177
Hawton, K., see Harwood, D. (72) 185
Herraiz, M., see Vieta, E. (72) 15
Hofman, A., see Tiemeier, H. (72) 79
Hofstra, M.B., see Dhossche, D. (72) 273
Hope, T., see Harwood, D. (72) 185

Ippoliti, F., see Bonaccorso, S. (72) 237
Ireland, P., see Feetham, C.L. (72) 297

Jacoby, R., see Harwood, D. (72) 185
Jain, S., see Somnath, C.P. (72) 243
Janardhan Reddy, Y.C., see Somnath, C.P. (72) 243
Jonker, C., see Comijs, H.C. (72) 157
Jouvent, R., see Carton, S. (72) 195

Kerkhof, A.J.F.M., see De Leo, D. (72) 291
Kiliaan, A.J., see Tiemeier, H. (72) 79

Lader, M.H., see Bond, A.J. (72) 267
Lagrue, G., see Carton, S. (72) 195
Le Houezec, J., see Carton, S. (72) 195
Leppämäki, S., Partonen, T. and Lönnqvist, J.
Bright-light exposure combined with physical exercise elevates mood (72) 139
Linden, M., see Barnow, S. (72) 71
Livingston, G., see Marwaha, S. (72) 257
Lonnqvist, J., see De Leo, D. (72) 291
Lönnqvist, J., see Leppämäki, S. (72) 139
Lucht, M., see Barnow, S. (72) 71

Maes, M., see Bonaccorso, S. (72) 237
Marino, V., see Bonaccorso, S. (72) 237
Marwaha, S. and Livingston, G.
Stigma, racism or choice. Why do depressed ethnic elders avoid psychiatrists? (72) 257
Mascord, D.J., see Dean, A.J. (72) 85
Mazzi, M.A., see Bellantuono, C. (72) 53
Meijer, J., see Tiemeier, H. (72) 79
Menchón, J.M., see Vallejo, J. (72) 95
Merikangas, K., see Angst, J. (72) 125
Michel, K., see De Leo, D. (72) 291
Murray, G., Allen, N.B., Trinder, J. and Burgess, H.
Is weakened circadian rhythmicity a characteristic of neuroticism? (72) 281

Nag, D., see Srivastava, N. (72) 45
Navarro, M.A., see Vallejo, J. (72) 95

Padoani, W., see De Leo, D. (72) 291
Parker, G.
Reply to Letter to the Editor (72) 203
Parker, G., see Dean, A.J. (72) 85
Parker, G., Gladstone, G. and Hadzi-Pavlovic, D.
Measuring psychomotor agitation by use of an actimeter: a pilot study (72) 91
Parramon, G., see Vieta, E. (72) 15
Partonen, T., see Leppämäki, S. (72) 139
Passynkova, N.R., see Volf, N.V. (72) 61

Quraishi, S. and Frangou, S.
Neuropsychology of bipolar disorder: a review (72) 209

Rizzo, R., see Bellantuono, C. (72) 53
Robbins, W., see Grof, P. (72) 103
Robertson, C., see Grof, P. (72) 103
Rosel, P., see Vallejo, J. (72) 95

Salander-Renberg, E., see De Leo, D. (72) 291
Schmidtke, A., see De Leo, D. (72) 291
Scocco, P., see De Leo, D. (72) 291
Scott, L.V. and Dinan, T.G.
Vasopressin as a target for antidepressant development: an assessment of the available evidence (72) 113
Sellaro, R., see Angst, J. (72) 125
Seth, P.K., see Srivastava, N. (72) 45
Sivakumaran, T., see Hawley, C.J. (72) 177
Smit, F., see Cuijpers, P. (72) 227
Somnath, C.P., Janardhan Reddy, Y.C. and Jain, S.
Is there a familial overlap between schizophrenia and bipolar disorder? (72) 243
Srimal, R.C., see Srivastava, N. (72) 45
Srivastava, N., Barthwal, M.K., Dalal, P.K., Agarwal, A.K., Nag, D., Seth, P.K., Srimal, R.C. and Dikshit, M.
A study on nitric oxide, β-adrenergic receptors and antioxidant status in the polymorphonuclear leukocytes from the patients of depression (72) 45
Surtees, P.G., see Wainwright, N.W.J. (72) 33

Tansella, M., see Bellantuono, C. (72) 53

Tiemeier, H., Hofman, A., Kiliaan, A.J., Meijer, J. and Breteler, M.M.B.
Vitamin E and depressive symptoms are not related. The Rotterdam Study (72) 79
Tondo, L., see Viguera, A.C. (72) 107
Tournoux, A., see Van Amerongen, A.P. (72) 21
Trinder, J., see Murray, G. (72) 281
Twisk, J.W.R., see Comijs, H.C. (72) 157

Urretavizcaya, M., see Vallejo, J. (72) 95

Valerie Curran, H., see Bond, A.J. (72) 267
Vallejo, J., Rosel, P., Arranz, B., Urretavizcaya, M., Menchón, J.M., Contreras, F. and Navarro, M.A.
Loss of the circadian variation of platelet [^{3}H]imipramine binding in delusional compared with non-delusional endogenously depressed patients (72) 95
Van Amerongen, A.P., Ferrey, G. and Tournoux, A.
A randomised, double-blind comparison of milnacipran and imipramine in the treatment of depression (72) 21
van der Ende, J., see Dhossche, D. (72) 273
Verhulst, F., see Dhossche, D. (72) 273
Vieta, E., Herraiz, M., Parramon, G., Goikolea, J.M., Fernández, A. and Benabarre, A.
Risperidone in the treatment of mania: efficacy and safety results from a large, multicentre, open study in Spain (72) 15
Viguera, A.C., Cohen, L.J., Tondo, L. and Baldessarini, R.J.
Letter to the Editor of the Journal of Affective Disorders (72) 107
Volf, N.V. and Passynkova, N.R.
EEG mapping in seasonal affective disorder (72) 61

Wainwright, N.W.J. and Surtees, P.G.
Childhood adversity, gender and depression over the life-course (72) 33
Wasserman, D., see De Leo, D. (72) 291
Watson, P.J. and Andrews, P.W.
Toward a revised evolutionary adaptationist analysis of depression: the social navigation hypothesis (72) 1
White, A., see Feetham, C.L. (72) 297
Wingrove, J., see Bond, A.J. (72) 267

Zhang, H., see Angst, J. (72) 125

ELSEVIER

Journal of Affective Disorders 72 (2002) 304–307

JOURNAL OF AFFECTIVE DISORDERS

www.elsevier.com/locate/jad

Subject index

Actimeter; Agitation; Agitated depression; Psychomotor disturbance **72,** 91

Adaptation; Anhedonia; Cognition; Depression; Emotional pain; Extortion; Honest signal; Psychomotor; Parasuicide; Reciprocity; Social analysis; Suicide **72,** 1

Adolescents; Self-reporting; Suicidal ideation; Psychiatric disorder; Predictor; Follow-up **72,** 273

β-Adrenergic receptors; Depression; Neutrophils; Nitric oxide; Antioxidant-enzymes **72,** 45

Adversity; Childhood; Depression; Gender; Recurrence; Life-course **72,** 33

Affective disorders; Depression; Mortality; Meta-analysis **72,** 227

Agitated depression; Agitation; Actimeter; Psychomotor disturbance **72,** 91

Agitation; Actimeter; Agitated depression; Psychomotor disturbance **72,** 91

Anhedonia; Adaptation; Cognition; Depression; Emotional pain; Extortion; Honest signal; Psychomotor; Parasuicide; Reciprocity; Social analysis; Suicide **72,** 1

Antidepressants; Depression; General practice **72,** 53

Antioxidant-enzymes; Depression; Neutrophils; Nitric oxide; β-Adrenergic receptors **72,** 45

Anti-depressants; Corticotropin-releasing hormone (CRH); Depression; Hypothalamic–pituitary–adrenal (HPA) axis; Vasopressin **72,** 113

Anxiety management; Generalised anxiety disorder; Buspirone; Non-directive therapy **72,** 267

Atypical depression; Prevalence; Comorbidity; Validity; Gender **72,** 125

Benzodiazepines; Fluoxetine; Methadone; Depression; Opiate; Clinical trial **72,** 85

Bereavement; Suicide; Grief; Depression; Old age **72,** 185

Bipolar disorder; Mania; Risperidone; Mood-stabiliser; Open study; Lithium **72,** 15

Bipolar disorder; Cognitive functions; Mania; Depression; Euthymia **72,** 209

Bipolar disorder; Schizophrenia; Family study **72,** 243

Buspirone; Generalised anxiety disorder; Anxiety management; Non-directive therapy **72,** 267

Cessation; Smoking; Depression; Emotions **72,** 195

Childhood; Adversity; Depression; Gender; Recurrence; Life-course **72,** 33

Circadian rhythmicity; Neuroticism; Depression; Positive affect **72,** 281

Clinical trial; Fluoxetine; Methadone; Depression; Benzodiazepines; Opiate **72,** 85

Cognition; Adaptation; Anhedonia; Depression; Emotional pain; Extortion; Honest signal; Psychomotor; Parasuicide; Reciprocity; Social analysis; Suicide **72,** 1

Cognitive functioning; Memory complaints; Older persons **72,** 157

Cognitive functions; Bipolar disorder; Mania; Depression; Euthymia **72,** 209

Comorbidity; Atypical depression; Prevalence; Validity; Gender **72,** 125

Corticotropin-releasing hormone (CRH); Anti-depressants; Depression; Hypothalamic–pituitary–adrenal (HPA) axis; Vasopressin **72,** 113

Cortisol; Depression; Serotonin; Growth hormone; Tryptophan **72,** 249

Cytokine treatment; Inteferon-alpha; Depression; Cytokines; Immunology **72,** 237

Cytokines; Inteferon-alpha; Depression; Immunology; Cytokine treatment **72,** 237

Delusion; [^{3}H]Imipramine; Depression; Serotonin reuptake site; Melancholia **72,** 95

Depression; Adaptation; Anhedonia; Cognition; Emotional pain; Extortion; Honest signal; Psychomotor; Parasuicide; Reciprocity; Social analysis; Suicide **72,** 1

Depression; Milnacipram; Imipramine **72,** 21

Depression; Adversity; Childhood; Gender; Recurrence; Life-course **72,** 33

PII: S0165-0327(02)00379-8

Depression; Neutrophils; Nitric oxide; β-Adrenergic receptors; Antioxidant-enzymes **72,** 45

Depression; Antidepressants; General practice **72,** 53

Depression; Vitamin E; Oxidative stress; Nutrition **72,** 79

Depression; Fluoxetine; Methadone; Benzodiazepines; Opiate; Clinical trial **72,** 85

Depression; [^{3}H]Imipramine; Serotonin reuptake site; Delusion; Melancholia **72,** 95

Depression; Anti-depressants; Corticotropin-releasing hormone (CRH); Hypothalamic–pituitary–adrenal (HPA) axis; Vasopressin **72,** 113

Depression; Interpersonal functioning; Stable social impairment **72,** 145

Depression; Sex difference; Prevalence; Determinants **72,** 167

Depression; Remission; MÅDRS; Global scale **72,** 177

Depression; Suicide; Bereavement; Grief; Old age **72,** 185

Depression; Smoking; Emotions; Cessation **72,** 195

Depression; Bipolar disorder; Cognitive functions; Mania; Euthymia **72,** 209

Depression; Affective disorders; Mortality; Meta-analysis **72,** 227

Depression; Inteferon-alpha; Cytokines; Immunology; Cytokine treatment **72,** 237

Depression; Cortisol; Serotonin; Growth hormone; Tryptophan **72,** 249

Depression; Ethnic elders; Services; Mental illness **72,** 257

Depression; Neuroticism; Circadian rhythmicity; Positive affect **72,** 281

Depressive disorder; Psychosocial stressors; Gender differences; Differential diagnosis and classification of mental disorders **72,** 71

Determinants; Sex difference; Depression; Prevalence **72,** 167

Differential diagnosis and classification of mental disorders; Psychosocial stressors; Depressive disorder; Gender differences **72,** 71

EEG power; Seasonal affective disorder; Hemispheric asymmetry; Topographical mapping **72,** 61

Elderly; Repetition; Suicide; Suicide attempt; Father's death **72,** 291

Emotional pain; Adaptation; Anhedonia; Cognition; Depression; Extortion; Honest signal; Psychomotor; Parasuicide; Reciprocity; Social analysis; Suicide **72,** 1

Emotions; Smoking; Depression; Cessation **72,** 195

Ethnic elders; Services; Depression; Mental illness **72,** 257

Euthymia; Bipolar disorder; Cognitive functions; Mania; Depression **72,** 209

Exercise; Light; Mood; Quality of life; Sub-syndromal seasonal depression **72,** 139

Extortion; Adaptation; Anhedonia; Cognition; Depression; Emotional pain; Honest signal; Psychomotor; Parasuicide; Reciprocity; Social analysis; Suicide **72,** 1

Family study; Bipolar disorder; Schizophrenia **72,** 243

Father's death; Elderly; Repetition; Suicide; Suicide attempt **72,** 291

Fluoxetine; Methadone; Depression; Benzodiazepines; Opiate; Clinical trial **72,** 85

Follow-up; Adolescents; Self-reporting; Suicidal ideation; Psychiatric disorder; Predictor **72,** 273

Gender; Adversity; Childhood; Depression; Recurrence; Life-course **72,** 33

Gender; Atypical depression; Prevalence; Comorbidity; Validity **72,** 125

Gender differences; Psychosocial stressors; Depressive disorder; Differential diagnosis and classification of mental disorders **72,** 71

General practice; Depression; Antidepressants **72,** 53

Generalised anxiety disorder; Buspirone; Anxiety management; Non-directive therapy **72,** 267

Global scale; Depression; Remission; MÅDRS **72,** 177

Grief; Suicide; Bereavement; Depression; Old age **72,** 185

Growth hormone; Depression; Cortisol; Serotonin; Tryptophan **72,** 249

Hemispheric asymmetry; Seasonal affective disorder; EEG power; Topographical mapping **72,** 61

Honest signal; Adaptation; Anhedonia; Cognition; Depression; Emotional pain; Extortion; Psychomotor; Parasuicide; Reciprocity; Social analysis; Suicide **72,** 1

Hypothalamic–pituitary–adrenal (HPA) axis; Anti-depressants; Corticotropin-releasing hormone (CRH); Depression; Vasopressin **72,** 113

Imipramine; Depression; Milnacipram **72,** 21

[^{3}H]Imipramine; Depression; Serotonin reuptake site; Delusion; Melancholia **72,** 95

Immunology; Inteferon-alpha; Depression; Cytokines; Cytokine treatment **72,** 237

Inteferon-alpha; Depression; Cytokines; Immunology; Cytokine treatment **72,** 237

Interpersonal functioning; Depression; Stable social impairment **72,** 145

Life-course; Adversity; Childhood; Depression; Gender; Recurrence **72,** 33

Light; Exercise; Mood; Quality of life; Sub-syndromal seasonal depression **72,** 139

Lithium; Bipolar disorder; Mania; Risperidone; Mood-stabiliser; Open study **72,** 15

Mania; Bipolar disorder; Risperidone; Mood-stabiliser; Open study; Lithium **72,** 15

Mania; Bipolar disorder; Cognitive functions; Depression; Euthymia **72,** 209

MÅDRS; Depression; Remission; Global scale **72,** 177

Melancholia; [^{3}H]Imipramine; Depression; Serotonin reuptake site; Delusion **72,** 95

Memory complaints; Cognitive functioning; Older persons **72,** 157

Mental illness; Ethnic elders; Services; Depression **72,** 257

Meta-analysis; Depression; Affective disorders; Mortality **72,** 227

Methadone; Fluoxetine; Depression; Benzodiazepines; Opiate; Clinical trial **72,** 85

Milnacipram; Depression; Imipramine **72,** 21

Mood; Light; Exercise; Quality of life; Sub-syndromal seasonal depression **72,** 139

Mood-stabiliser; Bipolar disorder; Mania; Risperidone; Open study; Lithium **72,** 15

Mortality; Depression; Affective disorders; Meta-analysis **72,** 227

Neuroticism; Circadian rhythmicity; Depression; Positive affect **72,** 281

Neutrophils; Depression; Nitric oxide; β-Adrenergic receptors; Antioxidant-enzymes **72,** 45

Nitric oxide; Depression; Neutrophils; β-Adrenergic receptors; Antioxidant-enzymes **72,** 45

Non-directive therapy; Generalised anxiety disorder; Buspirone; Anxiety management **72,** 267

Nutrition; Depression; Vitamin E; Oxidative stress **72,** 79

Old age; Suicide; Bereavement; Grief; Depression **72,** 185

Older persons; Memory complaints; Cognitive functioning **72,** 157

Open study; Bipolar disorder; Mania; Risperidone; Mood-stabiliser; Lithium **72,** 15

Opiate; Fluoxetine; Methadone; Depression; Benzodiazepines; Clinical trial **72,** 85

Oxidative stress; Depression; Vitamin E; Nutrition **72,** 79

Parasuicide; Adaptation; Anhedonia; Cognition; Depression; Emotional pain; Extortion; Honest signal; Psychomotor; Reciprocity; Social analysis; Suicide **72,** 1

Positive affect; Neuroticism; Circadian rhythmicity; Depression **72,** 281

Predictor; Adolescents; Self-reporting; Suicidal ideation; Psychiatric disorder; Follow-up **72,** 273

Prevalence; Atypical depression; Comorbidity; Validity; Gender **72,** 125

Prevalence; Sex difference; Depression; Determinants **72,** 167

Psychiatric disorder; Adolescents; Self-reporting; Suicidal ideation; Predictor; Follow-up **72,** 273

Psychomotor; Adaptation; Anhedonia; Cognition; Depression; Emotional pain; Extortion; Honest signal; Parasuicide; Reciprocity; Social analysis; Suicide **72,** 1

Psychomotor disturbance; Agitation; Actimeter; Agitated depression **72,** 91

Psychosocial stressors; Depressive disorder; Gender differences; Differential diagnosis and classification of mental disorders **72,** 71

Quality of life; Light; Exercise; Mood; Sub-syndromal seasonal depression **72,** 139

Reciprocity; Adaptation; Anhedonia; Cognition; Depression; Emotional pain; Extortion; Honest signal; Psychomotor; Parasuicide; Social analysis; Suicide **72,** 1

Recurrence; Adversity; Childhood; Depression; Gender; Life-course **72,** 33

Remission; Depression; MÅDRS; Global scale **72,** 177

Repetition; Elderly; Suicide; Suicide attempt; Father's death **72,** 291

Risperidone; Bipolar disorder; Mania; Mood-stabiliser; Open study; Lithium **72,** 15

Schizophrenia; Bipolar disorder; Family study **72,** 243

Seasonal affective disorder; EEG power; Hemispheric asymmetry; Topographical mapping **72,** 61

Self-reporting; Adolescents; Suicidal ideation; Psychiatric disorder; Predictor; Follow-up **72,** 273

Serotonin; Depression; Cortisol; Growth hormone; Tryptophan **72,** 249

Serotonin reuptake site; [^{3}H]Imipramine; Depression; Delusion; Melancholia **72,** 95

Services; Ethnic elders; Depression; Mental illness **72,** 257

Sex difference; Depression; Prevalence; Determinants **72,** 167

Smoking; Depression; Emotions; Cessation **72,** 195

Social analysis; Adaptation; Anhedonia; Cognition; Depression; Emotional pain; Extortion; Honest signal; Psychomotor; Parasuicide; Reciprocity; Suicide **72,** 1

Stable social impairment; Depression; Interpersonal functioning **72,** 145

Sub-syndromal seasonal depression; Light; Exercise; Mood; Quality of life **72,** 139

Suicidal ideation; Adolescents; Self-reporting; Psychiatric disorder; Predictor; Follow-up **72,** 273

Suicide; Adaptation; Anhedonia; Cognition; Depression; Emotional pain; Extortion; Honest signal; Psychomotor; Parasuicide; Reciprocity; Social analysis **72,** 1

Suicide; Bereavement; Grief; Depression; Old age **72,** 185

Suicide; Elderly; Repetition; Suicide attempt; Father's death **72,** 291

Suicide attempt; Elderly; Repetition; Suicide; Father's death **72,** 291

Topographical mapping; Seasonal affective disorder; EEG power; Hemispheric asymmetry **72,** 61

Tryptophan; Depression; Cortisol; Serotonin; Growth hormone **72,** 249

Validity; Atypical depression; Prevalence; Comorbidity; Gender **72,** 125

Vasopressin; Anti-depressants; Corticotropin-releasing hormone (CRH); Depression; Hypothalamic–pituitary–adrenal (HPA) axis **72,** 113

Vitamin E; Depression; Oxidative stress; Nutrition **72,** 79